# Sustainable Solutions

Reusable Pad Instruction Guide




#### Before you begin

Before you begin any project, it is important to assemble all the materials and tools needed to complete the assignment.


#### Materials needed:

- Paper Pattern
- Fabric cotton flannel : 10 ½" x 17 ¼" (27cm x 44cm)
- Toweling for insert: 6 ½" x 7" (16.5cm x 17.8cm)
- Scissors
- Straight pins
- Sewing needles
- Sewing Thread
- Sew-on Velcro/Fastener Tape (hook & pile)

#### Assemble materials



# Cut out the pattern



- Cut out the paper pattern.
- There should be 2 side flaps and one front piece.
- 1 rectangular piece for the insert.

#### Layout pad pattern as shown



Remember to put the straight edges on the outer edge of the fabric. Pin pattern in place and cut out the 3 pieces.

#### Cut out pattern pieces



- Cut out fabric pieces.
- Be sure to trim close to the edge of the pattern as shown in the photo.

# Fold edge on side flaps



- On straight edge, fold fabric 3/8" over with good side facing out.
- Do the same for both pieces.
- Pin in place.

#### Stitch seam



- Stitch folded seam ¼" from fold (either by hand or by machine).
- Do the same for both side pieces.

### Assemble pieces





 Pin side flap to pad front with finished sides facing out.

• Pin other side flap into position.

# Stitch outer edge



 Stitch ¼" around the entire outer edge of the pad.

#### Cut small pieces of fastener



- Velcro is a type of fastener that will be used to seal the pad closed when in use.
- Cut 1" pieces of fastener tape

### Sew on fastener tape

- Place velcro pieces on opposite sides of the side flap as shown.
- Be sure to use hook on one side and pile on the other to close properly
- Pin in place.



#### Stitch fasteners in place

 Stitch around each piece of velcro to hold them securely in place.



## Next, prepare the insert piece

- Cut out the insert piece using toweling or fleece.
- The insert piece should be absorbent according to one's personal needs.
- Some girls require thicker pads to control their blood flow.



# Stitch outer edge of liner

- Stitch outer edge of towel liner to prevent raveling of the fabric.
- If using fleece material for the liner, this step is not needed.



## Insert liner into pad pocket

- You are almost finished.
- Roll the liner up and slip into the pad pocket.




#### Finished pad is ready for use



 To close the pad, simply fold up each side flap and secure with the velcro fasteners.

#### How to use

Pads are inserted in the panty as shown and secured with the fasteners to prevent the pad from slipping.



formation the first of the second

#### Maintenance and Care

- Pads must be laundered every time after use.
- Be sure to use soap when washing pads.
- If pad is changed during the day when one is away from home, place the soiled pad into a plastic bag and wash after returning home.
- Make sure to thoroughly dry the pad before reuse.



#### Sustainable solutions

Our sustainable solutions keep girls in school all month long.



Rose Academies empowers vulnerable and oppressed with knowledge; educates the illiterate so they can reach their full potential in life.

#### **#BreakingBarriers #ChangingLives**

"Sustainable Solutions" is a production of Rose Academies, Inc. © copyright 2019.

